WO 2005/045881 PCT/IB2004/052256

12

CLAIMS:

1. A low-pressure vapor discharge lamp comprising a radiation-transmitting discharge vessel (1) enclosing, in a gastight manner, a discharge space (3) provided with a gas filling,

the gas filling being substantially free of mercury and comprising an indium compound and a buffer gas,

the discharge vessel (1) comprising discharge means (2) for maintaining a gas discharge in the discharge space (3),

the discharge vessel (1) being provided with a luminescent layer (4),
the luminescent layer (4) comprising a luminescent material based on a
nitridosilicate or on an oxonitridosilicate.

- 2. A low-pressure vapor discharge lamp as claimed in claim 1, characterized in that the luminescent material comprises rare-earth emitters.
- 15 3. A low-pressure vapor discharge lamp as claimed in claim 2, characterized in that the luminescent material comprises europium, cerium, or ytterbium emitters.
 - 4. A low-pressure vapor discharge lamp as claimed in claim 1 or 2, characterized in that the luminescent material comprises an oxonitridosilicate comprising aluminum.

20

10

5. A low-pressure vapor discharge lamp as claimed in claim 1 or 2, characterized in that the luminescent layer (4) comprises a luminescent material selected from the group formed by:

 $(Sr_{1-x-y-z}Ba_xCa_y)Si_2N_2O_2:Eu_z, \ where \ 0< x<0.2, \ 0< y<0.2 \ and \ 0< z<0.1;$ $Ca_{1-x-y}Sr_xSi_2N_2O_2:Eu_y, \ where \ 0< x<0.5 \ and \ 0< y<0.1;$ $(Sr_{1-x-y-z}Ca_xBa_y)_2Si_5N_8:Eu_z, \ where \ 0< x<1, \ 0< y<1 \ and \ 0< z<0.1;$ $(Sr_{1-x-y-z}Ba_xCa_y)_2Si_{5-a}Al_aN_{8-a}O_a:Eu_z, \ where \ 0< x<1, \ 0< y<1, \ 0< z<0.1 \ and \ 0< a<4,$

and

 $(Sr_{1-x-y-z}Ba_xCa_y)Si_2N_2O_2$: Yb_z, where 0<x<0.2, 0<y<0.2 and 0<z<0.1.

WO 2005/045881 PCT/IB2004/052256

13

6. A low-pressure vapor discharge lamp as claimed in claim 1 or 2, characterized in that the luminescent layer (4) further comprises a luminescent material selected from the group formed by:

```
5
                               Y<sub>3</sub>Al<sub>5</sub>O<sub>12</sub>:Ce;
                               (Y_{1-x}Gd_x)_3(Al_{1-y}Ga_y)_5O_{12}:Ce, where 0<x<1 and 0<y<1;
                               Sr<sub>2</sub>CeO<sub>4</sub>:Eu, Y<sub>2</sub>O<sub>3</sub>:Eu,Bi;
                               (Y,Gd)<sub>2</sub>O<sub>3</sub>:Eu,Bi;
                               Y(V,P)O_4:Eu;
10
                               Y(V,P)O_4:Eu,Bi;
                               (Sr,Mg,Ca)S:Eu;
                               Y<sub>2</sub>O<sub>2</sub>S:Eu;
                               (Ba,Sr)MgAl<sub>10</sub>O<sub>17</sub>:Eu,Mn;
                               ZnS:Cu,Al,Au; SrGa<sub>2</sub>S<sub>4</sub>Eu;
15
                               (Sr,Ba,Ca)(Ga,Al)<sub>2</sub>S<sub>4</sub>:Eu;
                               (Y,Gd)BO3:Ce,Tb;
                               (Y,Gd)_2O_2S:Tb;
                              LaOBr:Ce,Tb;
                               (Ba,Sr)MgAl<sub>10</sub>O<sub>17</sub>:Eu;
20
                               (Ba,Sr)5(PO4)3(F,Cl):Eu;
                               Y2SiO5:Ce;
                              ZnS:Ag,
         and
                              La<sub>0.7</sub>Gd<sub>0.3</sub>OBr:Ce.
```

25

- 7. A low-pressure vapor discharge lamp as claimed in claim 1 or 2, characterized in that the emission from the luminescent layer (4) and the emission from the gas discharge together form white light.
- 30 8. A low-pressure vapor discharge lamp as claimed in claim 1 or 2, characterized in that the discharge vessel is surrounded by an outer bulb, the outer surface of the discharge vessel being coated with the luminescent layer.

WO 2005/045881 PCT/IB2004/052256

14

9. A low-pressure vapor discharge lamp as claimed in claim 1 or 2, characterized in that the discharge vessel (1) is surrounded by an outer bulb (6), the outer bulb (6) being coated with the luminescent layer (4).